

BIOLOGY 30 REVIEW

1. describe in general terms the structure and function of a neuron and myelin sheath.




transmission


2. explain how an action potential is formed by electrochemical gradients and how it is transmitted along a neuron.




2. CON't explain how an action potential is formed by electrochemical gradients and how it is transmitted along a neuron.




2. CON't explain how an action potential is formed by electrochemical gradients and how it is transmitted along a neuron.




<u>3.</u> explain how a nerve impulse can cross a synapse using neurotransmitters such as norepinephrine, acetylcholine, and enzymes such as cholinesterase.



<u>4.</u> differentiate between the somatic and autonomic nervous systems.



5. describe the function of the 4 lobes of the cerebrum, the pons, the cerebellum, the medulla oblongata, the hypothalamus, and the spinal cord.



5. describe the function of the 4 lobes of the cerebrum, the pons, the cerebellum, the medulla oblongata, the hypothalamus, and the spinal cord.

Frontal Lobe	Parietal Lobe	Occipital Lobe
Motor control	Sensory areas	Sensory areas
Controls voluntary	associated with touch, pressure,	associated with vision
movements	pain, temperature	
Link to memory,	and taste	
reasoning, critical	Also linked to	
thinking, language	emotions and	Parietal lobe
use and personality	interpreting speech	Frontal lobe
	Occipital	l lobe
Temporal Lobe		
	ted	
 Sensory areas associa 	ted	
with hearing and	ted	
	ted	
with hearing and	ted	
with hearing and		ral lobe


M DA M

6. list several functions of both the parasympathetic and sympathetic nervous systems.

Parasympathetic	Sympathetic
Heart rate	Heart rate
Peristalsis	Peristalsis
↑Glucose to glycogen	
pupils	pupils
Contracts bladder	inhibits bladder contraction
Blood flow to skin	Blood flow to skin
Blood flow to muscles	Blood flow to muscles

These 2 systems balance each other out!

<u>7.</u> explain how a reflex works, including the sensory receptor, sensory neuron, interneuron, motor neuron, and effector.



8. describe the structure and function of the human eye, including the cornea, lens, sclera, choroids, retina, rods, and cones, fovea centralis, pupil, iris, and optic nerve.






Fig. 1.1. A drawing of a section through the human eye with a schematic enlargement of the roting


9. describe the structure and function of the auditory parts of the ear including the pinna, auditory canal, tympanic membrane, ossicles, cochlea, organ of Corti, and auditory nerve.




<u>10.</u> describe the structure and function of the balance related parts of the ear including the semicircular canals, utricle, saccule.



11. describe the function of the Eustachian tube




13. identify the location of the principal human endocrine glands including the hypothalamus/pituitary complex, thyroid, parathyroid, adrenal glands, and islet cells of the pancreas.



13. identify the location of the principal human endocrine glands including the hypothalamus/pituitary complex, thyroid, parathyroid, adrenal glands, and islet cells of the pancreas.

Calcitonin & Parathyroid Hormone (PTH)	Calcitonin(from thyroid) – remove Ca+ from blood & into bone
Adrenocorticotropic Hormone (ACTH) & Cortisol	Parathyroid – the reverse ACTH – stimulates long term stress hormones Cortisol –long term stress hormone - conv. Amino acids to glucose Insulin – lowers blood glucose Glucagon –raises blood glucose
Glucagon & Insulin	
Human Growth Hormone (hGH)	Hgh- Almost all body cells to grow
Antidiuretic Hormone (ADH)	Water retention
Epinephrine / Adrenaline	Short term stress hormones from adrenal medulla glands
Aldosterone	Sodium retention and water
Follicle Stimulating Hormone (FSH)	Stimulates ovary to mature a follicle
Leutinizing Hormone (LH)	Stiulates release of egg from ovary & And progesterone and estrogen. prod.
Prolactin & Oxytocin	Prolactin- maintains milk production Oxytocin-contractions and initiates milk prod.

14. describe how each of the hormones above could be or are controlled through negative feedback



<u>15.</u> describe the role that thyroxine plays in metabolism.

Thyroxin increases metabolism (how fast we burn calories) -stimulated by TSH from thyroid

<u>16.</u> describe the role that glucagon and cortisol play in blood sugar regulation.

Glucagon _____ blood glucose Cortisol _____blood glucose

Increases growth of most cells and as a result metabolism is increased, and as a result blood glucose goes down so as a result it needs to be raised, so as a result more glucagon will be used <u>18.</u> describe the role ADH has in water regulation and the role aldosterone has in sodium ion and water regulation.

<u>ADH</u> water retention in kidney –response to dehydration

Aldosterone retention of Na+ in kidney and as a result water is also retained

<u>19.</u> explain how both ADH and Aldosterone can alter the body's blood pressure.

BOTH BLOOD PRESSURE by retaining water

<u>20.</u> explain the relationship between the nervous system and the endocrine system and how they can sometimes act together (ie. the hypothalamus/pituitary complex; the adrenal gland is stimulated by both the endocrine system and sympathetic nervous system)

- a. Hypothalamus is **part of nervous system**
- b. Hypothalamus controls: **posterior** pituitary through neurons **anterior** through releasing hormones(RH)
- c. (eg) if you get frightened the **nervous system** triggers the adrenal medulla**(endocrine)** to release adrenaline

21. describe the physiological consequences of hormone imbalances including:


Diabetes mellitus – **TYPE 1** (no insulin prod) and **TYPE2** (insulin production but not able to be used well)

Diabetes insipidus – too much ADH – urinate too often

Gigantism / Acromegaly – too much hGH (Acromegaly too much when adult) **Dwarfism** – too little hGH

Goitre and NEGATIVE FEEDBACK LOOP- not enough IODINE creates lack or no thyroxine being produced which makes pituitary release more and more TSH and overstimulate thyroid...it still cant do its job – overstimulation causes goiter to form

<u>22.</u> identify the structures in the human female reproductive system and describe their function:



<u>23.</u> identify the structure in the male reproductive system and describe their functions:

Testes – contain seminiferous tubules Seminiferous tubules – produce sperm Interstitial Cells – in between seminiferous tubules produce testosterone Sertoli Cells – help sperm grow in seminiferous tubules Epididymides – store and mature sperm Ductus/vas deferens - tube from testes – out

STUDENT PRICE CARD

Seminal Vesicles- fructose and prostaglandins
Prostate Gland -alkaline buffer to protect from acid enviro of vagina
Cowper's Glands –mucus and alkaline buffer to protect from acid urine and increase motility (motion)
Ejaculatory Duct – path sperm takes through glands
Urethra – path of semen and urine
Penis – provides path for semen and urine

<u>24.</u> differentiate between sperm and eggs in terms of their supporting structures such as

seminiferous tubules – sperm prod. – tiny tubes in testes

interstitial cells, - testosterone...influences sertoli

sertoli cells, - nourish growing sperm

follicle, - matures egg and influenced by FSH

corpus luteum.- produces P and E to keep endometrium

<u>25.</u> describe how the Y chromosome causes testosterone to be produced leading to male organ formation, whereas it's absence results in female organ development.

SRY gene on Y chromosome determines sex of individual by increasing testosterone production <u>26.</u> explain how STI's like Chlamydia, gonorrhea, human papilloma virus, etc. can interfere with fertility and reproduction.

27. describe the role of GnRH, FSH, eH, estrogen, progesterone and testosterone in the regulation of primary and secondary sex characteristics in females and in males.

- Testosterone- stimulates: spermatogenesis
- Primary characteristics (reproductive organ development)
- Secondary characteristics (deepening of voice, facial and pubic hair, muscle growth)


Follicle-stimulating hormone (FSH) stimulates production of sperm cells in seminiferous tubules

Luteinizing Hormone (LH) stimulates production of testosterone in interstitial cells

WOMEN

- At puberty, the hypothalamus releases gonadotropin releasing hormone (GnRH)
- GnRH activates the anterior pituitary to release FSH and LH
- FSH secretions are carried by the blood to the ovary where follicle development is stimulated.
- After egg is released the follicle turns into corpus luteum which then releases prohgesterone and estrogen

28-29. identify the principal reproductive hormones involved in the female menstrual cycle and explain how FSH, LH, estrogen, and progesterone work together to maintain the menstrual cycle.




30. Identify and describe the function of the following in males...-testosterone,

- -LH, and
- -FSH in human males.

Follicle-stimulating hormone (FSH) stimulates production of sperm cells in seminiferous tubules

Luteinizing Hormone (LH) stimulates production of testosterone in interstitial cells which then in turn also affects Sertoli cells



<u>31.</u> trace the process from conception to birth including:

Fertilization, zygote, gastrulation, blastulation & neurulation

Implantation

Extra-embryonic membrane formation


Placenta

Amnion


Chorion

Allantois


Parturition




From Ovulation to Implantation



<u>31.</u> trace the process from conception to birth including:




<u>31.</u> trace the process from conception to birth including:



<u>31.</u> trace the process from conception to birth including:

Placenta- connection to mother to exchange nutrients and wastes – NO BLOOD EXCHANGE.



<u>32.</u> describe the roles of the following in human development

Progesterone, -

LH, - stimulates corpus luteum to be prod.

hCG, - human corionic gonadotrophin – keeps corpus
L. producing for first 3 months
-produced by embryo

prostaglandins-localized hormone – helps start contractions

oxytocin –

<u>33.</u> describe the general mechanisms of lactation in human females after childbirth and the role of oxytocin and prolactin.

Oxytocin – a babys cry initiates oxytocin release which then "releases" milk (makes available for baby to suckle) when baby needs to feed

Prolactin –

<u>34.</u> describe the main physiological events in human prenatal development of the following as it relates to each trimester...

neural tube / nervous. - 1-2 weeks system development

heart formation- 3 weeks

limb formation- 5-6 weeks

sex differentiation- 6 – 7 week

35. identify the major tissues and organs that arise from the

Ectoderm (nervous system, skin)

Mesoderm (skeleton, muscles, reproductive system)

Endoderm (digestive and respiratory systems, endocrine glands)

<u>36.</u> describe the influence environmental factors such as maternal lifestyle, alcohol, drugs, and infections can have on embryonic and fetal development – i.e. teratogens

Most critical developmental period is


<u>37.</u> describe medical technologies such as in-vitro fertilization, vasectomy, and fertility drugs.

Prenatal Screening Technologies

- Chorionic Villi Sampling: needle removes fetal cells from chorion/placenta → genetic testing
 - detects Downs' Syndrome, Cystic Fibrosis etc.
 - can be performed after 9th week


- 2. Amniocentesis: needle withdraws amniotic fluid sample containing fetal cells → genetic/karyotyping(chromosome abnormalities)/hormone tests
 - can be performed after 14th week

Amniocentesis & Chorionic Villus Sampling



(a) Amniocentesis

Cells selected from AMNIOTIC FLUID 14th week



(b) Chorionic villus sampling


Cells selected from CHORION/PLACENTA 9th week <u>38.</u> explain the meaning of haploidy, diploidy, and polyploidy

n = number of "unique" chromosomes


Haploid(n), # chrom. in gametes

Diploid(2n) # chrom. in somatic cell

polyploidy(3n, 4n..) multiple sets of "homologous"chromosomes



<u>39.</u> explain the steps of the cell cycle including interphase, prophase, metaphase, anaphase, telophase and cytokinesis



<u>40.</u> differentiate and compare the processes of mitosis and meiosis in terms of their purpose, as well as the major steps involved in each.

Propose Men Are Toads

1	Prepare	Middle	Apart	ear in two
n	r	е	n	е
t	0	t	а	I
е	р	а	р	0
r	h	р	h	р
р	а	h	а	h
h	S	а	S	а
а	е	S	е	S
S		е		е

e

41. describe the difference between metaphase of mitosis and metaphase of meiosis I & II.

Metaphase means MIDDLE...



Meiosis I



<u>42.</u> describe the process of crossing over and evaluate its significance to organisms inheritance.


Recombination results in totally different genetic combinations than parents

Homologous chromosomes

Tetrad

Crossing over occurred


<u>43.</u> describe the process of nondisjunction and identify how disorders such as Turner & Down Syndrome that occur as a result.




Copyright @ 2003 Pearson Education, Inc., publishing as Benjamin Cummings.

<u>44.</u> explain how both fraternal and identical offspring are formed in a single birthing event.


<u>45.</u> identify and describe some of the diversity of reproductive strategies by comparing the alternation of generations in organisms such as Daphnia, sea anemones, moss, pine trees etc. **SOURCES OF GENETIC VARIATION = "A"**



<u>46.</u> describe the evidence Mendel obtained for dominance, segregation, and the independent assortment of genes on different chromosomes.




Dominant vs recessive



Phenotype Ratio:**3:1 tall : short** Genotypic Ratio:**1:2:1 HH:Hh:hh**


Incomplete dominance

WHITE + RED = PINK. $C^{W}C^{W}$ + $C^{R}C^{R}$ = $C^{W}C^{R}$




Co-dominance

WHITE + RED = ROAN (mixed) $C^{W}C^{W}$. + $C^{H}C^{H} = C^{W}C^{H}$




Sex Linked traits- ONLY ON THE X chromo. R = red eyes r = normal



Linked traits

- <u>Linked Genes</u> are genes that are found on the same chromosome are <u>LINKED</u>
- Linked genes are inherited TOGETHER.
- Genes will NOT separate during meiosis...



Linked traits

Crossing Over = # of recombinations x 100 Percentage Total # of Offspring

The genes for body colour and wing shape are found on the same chromosome in fruit flies

Two Genes Found on the Same Chromosome in Drosophila

- s
- body colour (S = normal / s = sable)
- W wing shape (W = normal / w = miniature)

In a cross between a heterozygous normal fly and a sable-bodied, miniature-winged fly the results were:


99 normal flies 99 with a sable body and miniature wings

- 11 with a normal body and miniature wings
- 11 with a sable body and normal wings


How many map units separate the genes for body colour and wing shape?

Add recombinants and divide by TOTAL of ALL

 $\frac{11 + 11}{100} = 10\%$




Multiple alleles





Probability of a boy with green hair from mom who is a carrier and dad who has green hair. Green hair is recessive..


Prob of having a boy = Prob of green hair=



DIHYBRID CROSS

Lets cross TtYy X TTYY

<u>49.</u> understand that traits can be controlled by one pair of genes (Rh factor), or they may be controlled by many genes (ex. skin colour, height)




50. describe the contributions that were made by James Watson and Francis Crick to the field of genetics.


51. describe the structure of DNA, including the three components of nucleotides, the two families of nitrogen bases, and how the two strands are bonded together.

52. describe how a DNA molecule is able to replicate itself semi- conservatively using molecules such as helicase & DNA polymerase.


Helicase- DNA Polymerase- attaches free nucleotides




54. understand how a DNA sequence is transcribed into an mRNA sequence of bases using RNA polymerase.




55. understand how rRNA, tRNA, and mRNA interact to synthesize a polypeptide / protein based on the nucleotide sequence of an mRNA molecule.





56. Given a DNA sequence, I can use the mRNA codon table to identify the amino acid sequence for which it codes.

From DNA to RNA protein



DON' T CONFUSE WITH DNA SEQUENCE!!

Messenger RNA Codons and Their Corresponding Amino Acids

First Base	Second Base				Third Base
	U	С	А	G	
U	UUU phenylalanine	UCU serine	UAU tyrosine	UGU cysteine	U
	UUC phenylalanine	UCC serine	UAC tyrosine	UGC cysteine	С
	UUA leucine	UCA serine	UAA stop**	UGA stop**	А
	UUG leucine	UCG serine	UAG stop**	UGG tryptophan	G
С	CUU leucine	CCU proline	CAU histidine	CGU arginine	U
	CUC leucine	CCC proline	CAC histidine	CGC arginine	С
	CUA leucine	CCA proline	CAA glutamine	CGA arginine	А
	CUG leucine	CCG proline	CAG glutamine	CGG arginine	G
А	AUU isoleucine	ACU threonine	AAU asparagine	AGU serine	U
	AUC isoleucine	ACC threonine	AAC asparagine	AGC serine	С
	AUA isoleucine	ACA threonine	AAA lysine	AGA arginine	А
	AUG methionine*	ACG threonine	AAG lysine	AGG arginine	G
G	GUU valine	GCU alanine	GAU aspartate	GGU glycine	U
	GUC valine	GCC alanine	GAC aspartate	GGC glycine	С
	GUA valine	GCA alanine	GAA glutamate	GGA glycine	А
	GUG valine	GCG alanine	GAG glutamate	GGG glycine	G

* Note: AUG is an initiator codon and also codes for the amino acid methionine.

** Note: UAA, UAG, and UGA are terminator codons.

57. demonstrate how a random change (mutation) in the DNA sequence can result in abnormalities and provide a source of genetic variability (good or bad).


- Affects hemoglobin on Red Blood Cell
- Valine replaces glutamate as 6th amino acid in 1 of protein chains
- Red Blood Cell assumes a sickle shape

-Unable to carry an adequate amount of O₂

-clog capillaries, starving body's tissues of O₂

- HOWEVER – gives the individual resistance to malaria

Sickle-cell Disease — Hemoglobin Chain



58. understand and demonstrate the range of consequences of genetic mutations (severe, moderate, silent)

Samesense (silent)

Missense(moderate)- change in 1 amino acid

Nonsense(severe)

58. understand and demonstrate the range of consequences of genetic mutations (severe, moderate, silent)

FRAME SHIFT MUTATIONS – additions, subtractions or substitutions in DNA sequence

DNA - AAT CGG CTC A<u>T</u>A CGG TAA

<u>59.</u> explain how, in general, restriction enzymes cut DNA molecules into smaller fragments based on a specific nucleotide sequence


A restriction enzyme recognizes certain sequences and cuts them there so DNS fragments can be used.

<u>60.</u> understand the purpose and function of ligase.

Elmers???

<u>61.</u> explain how restriction enzymes, ligases, and other DNA technology can be used to transform cells by inserting new DNA or genes into their genome.

- 1. A bacterial plasmid is opened using a restriction enzyme (scissors).
- 2. Isolation of the desired gene using the same Restriction Enzyme (scissors).
- 3. Ligase glues back together



<u>62.</u> explain how the sequence of nitrogen bases in DNA can give evidence for the relationships among organisms of different species.

All organisms....

<u>63.</u> understand that very small amounts of DNA are found in chloroplasts and mitochondria and can be used to help trace inheritance.

Mothers pass down mitochondrial DNA to offspring...males???

-it does not change from generation to generation

<u>64.</u> list the conditions that are required for a Hardy-Weinberg equilibrium and can explain how the gene pool changes if each condition is not met.

- 1. Large population
- 2. Random mating
- 3. No gene flow immigration or emigration
- 4. No natural selection
- 5. No mutations
- 6. No genetic drift

<u>65.</u> understand the meaning of, and can describe factors that cause the gene pool to change

Natural Selection-

Genetic Drift- disappearance of genes due to chance events (ie) death,natural disaster, human interference,

Bottleneck effect — form of genetic drift - few members survive elimination to start population

Founder effect - form of genetic drift – population started with small genetic sampling

Gene Flow – movement of genes out of a population

66. use the Hardy-Weinberg equation to determine allele and genotype frequencies using p + q = 1 and p2 + 2pq + q2 = 1

<u>67.</u> describe how interactions between predators and prey and between producers and consumers can alter populations.

Lynx:

Hare:

<u>68.</u> describe commensalism, mutualism, and parasitism.

<u>69.</u> understand the difference between interspecific and intraspecific competition and can predict how both will affect populations.

INT<u>ER</u>- competition between members of DIFF<u>ER</u>ENTSPECIES

INTRA- competition between members of SAME

<u>71.</u> explain how / why mixtures of populations may change over time from a climax community through different stages of succession.

Primary Succession: Secondary Succession: Climax Community:

Succession occurs in stages:

- Climax Community: Stable or "final" form of the ecosystem
- A climax community is one that has reached the **stable stage**.
- Examples are <u>tundra</u>, <u>grassland</u>, <u>desert</u>, and the <u>deciduous</u>, <u>coniferous</u>, and <u>tropical rain forests</u>.

DESERT CLIMAX COMMUNITY

CONIFEROUS CLIMAX COMMUNITY

UNDRA CLIMA COMMUNITY

> DECIDUOUS CLIMAX COMMUNITY

TROPICAL CLIMAX COMMUNITY 72. know what the terms mortality, natality, immigration, and emigration mean in terms of population size /growth.

 $\triangle N$ = factors that increase – factors that decrease

<u>73.</u> describe a population's size & growth using the following terms:

carrying capacity-

biotic potential-size of litters, how often reproduce, how long to reach maturity

environmental resistance-

<u>74.</u> calculate a population's growth rate (gr), per capita growth rate (cgr) and population density (Dp).

$\triangle N =$

GR =

Remember most recent data first
When working with # of individuals.

CGR=

D=

<u>75.</u> explain the differences between a logistic growth pattern (S curve) and an exponential growth pattern (J curve)

<u>76.</u> explain the difference between an open and closed populations.

77. list some of the major differences between r-selected and K-selected organisms.

Life span

Reproductive age

Reproductive rate

Parental care

Size

Carrying capacity. Near C.C.

Rapid change